MF 5S SERIES // 115-145 HP

ACHIEVE BETTER TOTAL COST OF OWNERSHIP



MASSEY FERGUSON

ACHIEVE
BETTER

A NEW ERA OF PRODUCTIVITY

Simply the best tractor in its class for Hay, Dairy and Livestock Producers



EQUIPPED TO WORK FASTER WITH MORE IMPLEMENTS

- A wide choice of hydraulic systems including open and closed center systems offering up to 29 gallons per minute of flow
- Double-up operations with the new front linkage design offering lift capacities up to 6,600 lbs. while the rear linkage lifts up to 10,300 lbs with the Dyna-6 and up to 13,200 with the Dyna-VT.

LOW OPERATING COSTS

- AGCO Power™, four-cylinder, 4.4-liter engine complies with Tier 4 Final emission rules using the compact "All-in-One" aftertreatment system
- Proven transmission technology: Dyna-6 *(24x24)* and Dyna-VT offers seamless shifting
- Super-Eco operation allows speeds up to 25 mph at a low 1,530 rpm helping to significantly cut fuel consumption and increase driving comfort

ACHIEVE A BETTER COST PER HOUR WITH THE MASSEY FERGUSON® 5S SERIES.

The MF 5S Series offers excellent maneuverability and versatility for work on the farm, in the field or on the road. It provides substantial power, maximum agility, well-engineered quality and a new distinctive style, all while keepings costs to a minimum.

With its high-performance driveline, high levels of comfort and wide choice of equipment and options, the MF 5S Series can tackle any challenge and any task on your farm.

SCAN THE QR CODE
for more details about the MF 5S Series.

AGCO PARTS

RECEIVE A LIFETIME OF SUPPORT.

With Massey Ferguson, you can count on personalized, responsive support from our network of dealers throughout the lifetime of your machine.

ASK YOUR DEALER FOR DETAILS ABOUT AGCO PARTS AND SERVICE.







STRAIGHTFORWARD, SMART FARMING

- MF Always Running is our built-in customer care promise—designed to reduce risk, protect uptime and deliver long-term peace of mind for farmers
- Standard Datatronic™ 5 and optional Fieldstar® 5 touch-screen terminal offers easy operation
- MF Guide, MF Section and Rate Control, MF Autoturn, and Automatic Headland, as well as data transfer and management through MF TaskDoc and TaskDoc Pro



ULTIMATE COMFORT FOR MORE PRODUCTIVE WORKING DAYS

- Best-in-class visibility with large windows (64.4 sq. ft) and narrow, steep hood
- Up to 16 optional LED lights provide outstanding visibility for working at night
- Armrest features improved ergonomics meaning all controls are easily within reach for effortless operation

THE RIGHT FEATURES FOR YOUR OPERATION.

The MF 5S series features two configurations to meet your power and performance needs.

	ESSENTIAL	EFFICIENT
STANDARD	Control Center with T-handle transmission lever	Multifunction armrest with MultiPad
	Dyna-6 transmission with Auto-Drive™	Dyna-6 transmission with Auto-Drive™ and Dyna-VT
	Brake-to-Neutral cab pillar switch	Brake-to-Neutral cab pillar switch
	Mechanical control of spool valves	Electrical and mechanical controls of spool valves
	MF Connect	MF Connect
		ISOBUS compatible Datatronic 5 terminal for tractor settings management and full-precision farming package including video, MF Guide guidance system, MF Section Control, MF Rate Control and MF TaskDoc
OPTIONAL	Multifunction loader joystick with transmission control	Multifunction loader joystick with transmission control
	Integrated Front Linkage System	Integrated Front Linkage System
	ISOBUS compatible Fieldstar® 5 terminal for full precision farming package including video, MF Guide guidance system, MF Section Control, MF Rate Control and MF TaskDoc®	



THE EFFICIENT TRANSMISSION OF POWER

The MF 5S is available with the choice of two fully automated transmissions offering the most advanced technology in its category. With Dyna-6 or Dyna-VT transmissions available, you can choose the one that suits you.

Dyna-6: For extra efficiency in a wider range of applications.

Dyna-VT: Extra comfort and increased flexibility to maximize productivity for every task.

DYNA-6

Developed specifically to enable the MF 5S tractors to deliver leading dynamic performance and reliability, the Dyna-6 semi-powershift transmission provides 24x24 speed ratios—all enhanced with AutoDrive management, which automatically changes to match the engine load and operating conditions. Giving you seamless, faster and more controlled operation while reducing fatigue. Auto Drive also cuts costs with Super-Eco ensuring top speed is achieved at a very low engine rpm, reducing fuel consumption.

DYNA-VT

The highly regarded Dyna-VT continuously variable transmission (CVT), with Automatic Mode, transfers power seamlessly and precisely to provide smooth and unrivalled ease of control. Operators can use pedal or lever mode at any time, without needing to make changes to the controls. With its intuitive operation all users quickly settle into feeling at one with the machine to optimize performance and productivity

DYNA-VT BENEFITS AT A GLANCE

- Infinitely variable speed setting with straightforward operation delivers optimum fuel efficiency and operator comfort.
- Simple, stepless speed control.
- Operators can choose to use pedal or lever modes at any time.
- Automatic Mode enables operators to adjust forward speed, while automatically regulating engine speed according to load and speed.
- Adjustable shuttle response to suit task and conditions.
- The brake-to-neutral disengages drive when you press the pedal.



BUILT-IN CONFIDENCE FOR YOUR 5S

NO EXTRA COSTS. NO SURPRISES. JUST UPTIME YOU CAN COUNT ON.

With MF Always Running, everything you need to stay productive is built right into your 5S—from day one. Factory-backed coverage, scheduled maintenance, and expert dealer support all work together to keep your operation moving forward. MF Always Running comes standard with every model year 2026 and newer Massey Ferguson 5S, delivering the peace of mind today's farmers demand. With integrated warranty coverage, included maintenance, and dealer-led support, your tractor is backed by a complete ownership solution.

And if the unexpected happens? **You're still covered.**

Because farming has enough risks you can't control—your tractor shouldn't be one of them.



3-Year / 3,000-Hour Warranty

Scheduled Maintenance Included

Dealer-Managed Service Support


48-Hour Loaner Guarantee

SPECIFICATIONS

		MF 5S.115	MF 5S.135	MF 5S.145
Engine				
Engine Type		AGCO POWER - STAGE V with DOC + Soot Catalyst + SCR		
No. of cylinders/no. of valves/Capacity	No./No./cm^3	4 / 4 / 4,400		
Bore / Stroke	mm/mm	108 / 120		
Aspiration		Turbo and intercooler		
Injection type		Common rail		
Fan type		Viscotronic		
Max hp	ISO hp (kW)	115	135	145
Engine rpm at maximum hp	rpm	2,000		
Maximum torque @ 1,500 rpm	Nm	510	545	560
Fuel tank capacity / AdBlue tank capacity	gal	53 gal fuel/ 5 gal DEF		
Maintenance Interval	h	600 hours		
Dyna-6 transmission		25 mph		
Number of gears	Fwd x Rev	24 x 24		
Min. Speed @ 1,400 rpm**	mph	0.68		
No. of speeds with supercreeper		48 x 48		
Min. Speed @ 1,400 rpm* with supercreeper	mph	0.06		
Speed range		Forward: 0.1 - 25 mph / Reverse: 0.1 - 15.5 mph		
Dyna-VT transmission		25mph @ 1,550 rpm		
Type		Stepless, Continuous variable transmission		
Speed range		Forward: 0.1 - 25 mph / Reverse: 0.1 - 15.5 mph		
Rear Linkage and hydraulics				
Controls		Height/depth, MF draft control, intermix, max height, lowering rate, shock absorber		
Lower links type	Cat	Cat 3		
Maximum lift capacity, at link end	lbs	13,228		
Maximum oil flow - Open Center services pump	gal/min	8 gal/min supplying steering, brakes, diff lock, PTO, 4WD		
Maximum oil flow - Standard Open Center	gal/min	15 gal/min supplying spool valve and linkage (ESSENTIAL)		
Maximum oil flow - Optional Open Center	gal/min	26 gal/min supplying rear linkage & spool valves (ESSENTIAL & EFFICIENT)		
Maximum oil flow - Optional Closed Center	gal/min	29 gal/minLoad Sensing system (ESSENTIAL & EFFICIENT)		
Maximum no. of auxiliary valves		4		
Max pressure	Bar	2,900 psi		

		MF 5S.115	MF 5S.135	MF 5S.145
Power Take-off (Rear)				
Operation / control		Independent / Electro hydraulic		
Standard PTO speeds		540 / 540 Eco		
Optional PTO speeds		540 / 540 Eco / 1,000		
Engine speed at				
540/1,000	rpm	1,920 / 1,960		
540 Eco	rpm	1,560		
PTO Shaft				
Standard		6 splines		
Optional		6 & 21 splines		
Front linkage				
Maximum lift capacity	lbs	6,614		
Front Power Take-off				
Type		Independent / Electro hydraulic / 6 splines		
PTO Speed	rpm	1,000		
Brakes				
Type		Electro-Hydraulic (oil cooled)		
Differential lock				
Type		Hydralock rear axle and front axle		
Wheels and Tires*				
Front		420/70 R28		
Rear		520/70 R38		
Weights and dimensions**				
Weight	lbs	11,684 (Dyna-6) / 12,787 (Dyna-VT)		
Maximum Gross vehicle weight	lbs	20,944		
Combinated vehicle weight	lbs	91,492		
Height***				
Turning Radius ISO 783-3	Inch	13 ft with 66.9 inch & 340/85 R24		
A – Wheelbase	Inch	100.4		
B – Overall length from front weight frame to rear linkage arms	Inch	170.5		
B – Overall length from front weights to rear linkage arms	Inch	194.9		
B – Overall length from front linkage (transport position) to rear linkage arms	Inch	176.7		
C – Height from rear axle to top of cab with standard roof Standard, flat floor cab	Inch	80.2 for Dyna-6 / 80.4 for Dyna-VT (without beacon)		
C – Height from rear axle to top of cab with Low Cab, flat floor cab	Inch	77.1 without beacon		
D – Cab - Standard position with visio roof	Inch	113.6 (Dyna-6) / 113.8 (Dyna-VT) with 460/85 R38, without beacon		
D – Cab - Low profile position with standard roof	Inch	104.6 with 460/85 R30 without beacon		
E – Maximum ground clearance	Inch	20.7 with 420/85R38 (remove 80mm for pick-up hitch)		

*Full range available. Please consult your Dealer.
**May vary depending on configuration. Please consult your Dealer.
***with standard tires, approximate figure depending on tyre brand, pressure and load
Specifications are manufacturer's estimates at time of publication and are subject to change without prior notification.



AGCO PARTS

RELIABLE SUPPORT FOR EVERY SEASON

Buying, owning and maintaining equipment can be complex. With Massey Ferguson, you can count on personalized, responsive support from a network of dedicated and knowledgeable dealers. Plus there's no cutoff time for parts and service, meaning we're available to you throughout the lifetime of your machine.

ASK YOUR DEALER FOR DETAILS ABOUT AGCO PARTS AND SERVICE.



MASSEY FERGUSON

ACHIEVE **BETTER**

FOR MORE INFORMATION, OR TO FIND YOUR DEALER, VISIT MASSEYFERGUSON.COM.



APPLY ONLINE FOR FINANCING

AGCO FINANCE

SCAN THE QR CODE to apply for financing.

AGCO Your Agriculture Company

*Currently only available for individual applicants. Subject to credit review and approval and other terms and conditions. All financing is in AGCO Finance LLC's sole discretion.
©2026 AGCO Corporation. Massey Ferguson is a worldwide brand of AGCO Corporation. AGCO and Massey Ferguson are trademarks of AGCO. All rights reserved.

MF26BRC013DS